Revision: 08/21/2018 Supersedes Revision: 08/16/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Citristrip Stripping Gel Aerosol

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100 Memphis. TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346

Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Paint/Varnish Remover
Product Code: ECSG807, ECSG807W

2. HAZARDS IDENTIFICATION

Flammable Aerosols, Category 2
Gas Under Pressure, Liquefied gas
Acute Toxicity: Inhalation, Category 4
Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 1

Skin Sensitization, Category 1

Simple Asphyxiant









GHS Signal Word:

Danger

GHS Hazard Phrases: H223: Flammable aerosol.

H280: Containers gas under pressure; may explode if heated.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

HUS1: May displace oxygen and cause rapid suffocation.

GHS Precautionary Phrases: P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211: Do not spray on an open flame or any other ignition source.

P251: Pressurized container: Do not pierce or burn, even after use.

P260: Do not breathe gas/mist/vapors/spray. P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

reathing

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment see label.

P333+313: If skin irritation or rash occurs, seek medical advice/attention.

Revision: 08/21/2018 Supersedes Revision: 08/16/2018

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal

P405: Store locked up.

Phrases:

P410+403: Protect from sunlight and store in well-ventilated place. P412: Do not expose to temperatures exceeding 50 °C/122 °F.

P501: Dispose of contents/container according to local, state and federal regulations.

Potential Health Effects (Acute

May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

and Chronic):

May cause respiratory irritation. May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration
100-51-6	Benzenemethanol {Benzyl alcohol}	30.0 -60.0 %
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	10.0 -30.0 %
106-97-8	Butane	5.0 -10.0 %
929-06-6	2-(2-Aminoethoxy) ethanol	1.0 -5.0 %
74-98-6	Propane {Dimethyl methane; Propyl hydride}	1.0 -5.0 %
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	0.1 -1.0 %
586-62-9	Terpinolene	0.1 -1.0 %
5989-27-5	d-Limonene	0.1 -1.0 %

Additional Chemical Information Specific percentage of composition is being withheld as a trade secret.

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and

shoes.

In Case of Eye Contact: Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Get medical

attention.

In Case of Ingestion: If swallowed, do NOT induce vomiting. Call a physician, hospital emergency room, or poison

control center immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Level 2

Flash Pt: > 200.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH

(approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

No data available.

Products:

Revision: 08/21/2018 Supersedes Revision: 08/16/2018

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions,

Wear appropriate protective clothing to prevent skin exposure.

Protective Equipment and Emergency Procedures:

Where there is potential for eye contact, wear chemical goggles, or a faceshield. Have eye

flushing equipment immediately available.

Steps To Be Taken In Case

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Material Is Released Or Spilled:

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Wash thoroughly after handling.

Precautions To Be Taken in

Store container tightly closed in well-ventilated place.

Storing:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS# **Chemical Name Jurisdiction Recommended Exposure Limits Notations**

106-97-8 **ACGIH TLV** TLV: (800 ppm) Butane 74-98-6 Propane {Dimethyl **ACGIH TLV** TLV: (2500 ppm)

methane; Propyl hydride}

OSHA PELs PEL: 1000 ppm

Respiratory Equipment (Specify When used as directed, respiratory equipment should not be needed.

Type):

Wear NIOSH approved respiratory protective equipment when vapor or mists may exceed

applicable concentration limits.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye

and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves: Wear appropriate gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Use adequate general or local exhaust ventilation to keep airborne concentrations below the **Engineering Controls**

(Ventilation etc.): permissible exposure limits.

Wash hands thoroughly after use and before eating, drinking, or smoking. Work/Hygienic/Maintenance

Practices:

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [X]Gas [] Liquid [] Solid

orange. Mild Odor. Appearance and Odor:

pH: 10.5 - 11 **Melting Point:** No data. **Boiling Point:** > 99.00 F

Flash Pt: > 200.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)

Evaporation Rate: < 1 (BuAC=1) Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or mm No data.

No data. Vapor Density (vs. Air = 1):

Revision: 08/21/2018 Supersedes Revision: 08/16/2018

Specific Gravity (Water = 1): 1.017 - 1.041

Density: 8.46 - 8.66

Solubility in Water: No data.

Solubility Notes: Appreciable

Octanol/Water Partition No data.

Coefficient:

Percent Volatile: 96.78 % by weight. VOC / Volume: 10.4000 % WT

Autoignition Pt: No data.

Decomposition Temperature: No data.

Viscosity: > 250 cSt

Additional Physical Information Flash point is for liquid contents.

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability: No data available. **Incompatibility - Materials To** No data available.

Avoid:

Hazardous Decomposition or

No data available.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Hazardous No data available.

Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Information below will be for individual ingredients. Refer to section 2 for acute and chronic health

effects.

CAS# 112-34-5:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415,

Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

Gastrointestinal: Hypermotility, diarrhea.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY, Vol/p/yr:

10(4),427, 1991

Irritation or Corrosion: DOT Corrosivity Screen - Necrosis at the application site after 60 minutes exposure.

Carcinogenicity/Other

IARC 3: Not Classifiable as to Carcinogenicity in Humans.

Information:

Revision: 08/21/2018 Supersedes Revision: 08/16/2018

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
100-51-6	Benzenemethanol {Benzyl alcohol}	n.a.	n.a.	n.a.	n.a.
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	n.a.	n.a.	n.a.	n.a.
106-97-8	Butane	n.a.	n.a.	n.a.	n.a.
929-06-6	2-(2-Aminoethoxy) ethanol	n.a.	n.a.	n.a.	n.a.
74-98-6	Propane {Dimethyl methane; Propyl hydride}	n.a.	n.a.	n.a.	n.a.
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	n.a.	n.a.	n.a.	n.a.
586-62-9	Terpinolene	n.a.	n.a.	n.a.	n.a.
5989-27-5	d-Limonene	n.a.	3	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information: This product has not been tested as a whole. Information below will be for individual ingredients.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of contents/container according to local, state and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Aerosols, flammable, corrosive

DOT Hazard Class: 2.1(8) FLAMMABLE, CORROSIVE

UN/NA Number: UN1950





Additional Transport

Information:

The shipper / supplier may be able to apply one of the following exceptions if allowed under 49 CFR Regulations: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49 CFR Hazmat Regulations. Please consult 49 CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Su	uperfund Amendments and Reauthorization Act o	of 1986) Lists		
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
100-51-6	Benzenemethanol {Benzyl alcohol}	No	No	No
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No	No	Yes-Cat. N230
106-97-8	Butane	No	No	No
929-06-6	2-(2-Aminoethoxy) ethanol	No	No	No
74-98-6	Propane {Dimethyl methane; Propyl hydride}	No	No	No
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No	No	No
586-62-9	Terpinolene	No	No	No
5989-27-5	d-Limonene	No	No	No
CAS#	Hazardous Components (Chemical Name)	Other US EPA or	State Lists	
100-51-6	Benzenemethanol {Benzyl alcohol}	CAA HAP,ODC: N Inventory; CA PR	o; CWA NPDES: No; OP.65: No	TSCA: Yes -
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	CAA HAP,ODC: Y Inventory; CA PRO	es - Cat.; CWA NPDE OP.65: No	ES: No; TSCA: Yes -

Revision: 08/21/2018

Supersedes Revision: 08/16/2018

106-97-8	Butane	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No
929-06-6	2-(2-Aminoethoxy) ethanol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory, 8A, 8A PAIR; CA PROP.65: No
74-98-6	Propane {Dimethyl methane; Propyl hydride}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No
586-62-9	Terpinolene	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No
5989-27-5	d-Limonene	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No

Additional Regulatory

Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 08/21/2018

Additional Information About

This Product:

No data available.

Company Policy or Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state

and local laws and regulations.