



# SAFETY DATA SHEET WD40 AEROSOL

According to Regulation (EC) No 1907/2006

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME

WD40 AEROSOL

**APPLICATION** 

Anti-squeak, Moisture repellant, Releasing agent

SUPPLIER

WD40 Company Limited

PO Box 440 Kiln Farm Milton Keynes MK11 3LF Tel: 01908 555400

Fax: 01908 266900 info@wd40.co.uk

**EMERGENCY TELEPHONE** 

00 44 1908 555 400 (08.00 - 16.30)

## 2 HAZARDS IDENTIFICATION

Flammable. Repeated exposure may cause skin dryness or cracking.

CLASSIFICATION

R10, R66.

**ENVIRONMENT** 

The product is not expected to be hazardous to the environment.

PHYSICAL AND CHEMICAL HAZARDS

Aerosol containers can explode when heated, due to excessive pressure build-up. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

**HUMAN HEALTH** 

See section 11 for additional information on health hazards. This substance has no evidence of carcinogenic properties.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
CARBON DIOXIDE	204-696-9	124-38-9	1-5%	-
PETROLEUM DISTILLATE	265-150-3	64742-48-9	60-80%	Xn;R65. R10,R66.

The Full Text for all R-Phrases are Displayed in Section 16

## **4 FIRST-AID MEASURES**

## INHALATION

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

#### INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention.

#### SKIN CONTACT

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

## **EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

## **5 FIRE-FIGHTING MEASURES**

## **EXTINGUISHING MEDIA**

Use: Foam. Water spray, fog or mist. Dry chemicals, sand, dolomite etc.

## SPECIAL FIRE FIGHTING PROCEDURES

Containers close to fire should be removed or cooled with water. Avoid water in straight hose stream; will scatter and spread fire.

## WD40 AEROSOL

#### CONDITIONS TO AVOID

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

#### HAZARDOUS DECOMPOSITION PRODUCTS

During fire, toxic gases (CO, CO2) are formed.

## 11 TOXICOLOGICAL INFORMATION

## INHALATION

Vapours may cause headache, fatigue, dizziness and nausea.

## SKIN CONTACT

Repeated exposure may cause skin dryness or cracking.

#### **EYE CONTACT**

Spray and vapour in the eyes may cause irritation and smarting.

### Other Health Effects

This substance has no evidence of carcinogenic properties.

## 12 ECOLOGICAL INFORMATION

#### **ECOTOXICITY**

The product contains substances which contribute to global warming (greenhouse effect).

#### BIOACCUMULATION

The product contains potentially bioaccumulating substances.

#### **DEGRADABILITY**

The product is easily biodegradable.

## 13 DISPOSAL CONSIDERATIONS

## **DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements. Make sure containers are empty before discarding (explosion risk). Recover and reclaim or recycle, if practical.

## 14 TRANSPORT INFORMATION



JK ROAD	CLASS	2.1

PROPER SHIPPING NAME **AEROSOLS** 

UN NO. ROAD 1950 UK ROAD PACK GR. #

ADR CLASS NO. 2.1 ADR CLASS Class 2: Gases

ADR PACK GROUP ADR LABEL NO. 2.1 CEFIC TEC(R) NO. 20G5F RID CLASS NO. 2.1 RID PACK GROUP UN NO. SEA 1950

IMDG CLASS 2.1 IMDG PACK GR. # **EMS** F-D, S-U **MFAG** See Guide MARINE POLLUTANT No. UN NO. AIR 1950 AIR CLASS

## 15 REGULATORY INFORMATION

CONTAINS PETROLEUM DISTILLATE

2.1

RISK PHRASES

R10 Flammable.

R66 Repeated exposure may cause skin dryness or cracking.

AIR PACK GR.

#