

Material Safety Data Sheet: PREMALUBE RED

Supersedes Date 09/19/2011

Issuing Date 10/18/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PREMALUBE RED
Recommended use Lubricant
Information on Manufacturer
CERTIFIED LABS, DIV. OF NCH CORP.
BOX 152170
IRVING, TEXAS 75015

Product Code 4566
Chemical nature mixture
Emergency Telephone Number
CHEMTREC® 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview
CAUTION
May cause skin irritation
May cause eye irritation

Color Red

Physical State Grease

Odor Oily

Potential Health Effects

Principle Route of Exposure

Eye contact, Skin contact.

Primary Routes of Entry

None known

Acute Effects

Eyes

May cause eye irritation.

Skin

May cause skin irritation.

Inhalation

Low hazard for usual industrial or commercial handling.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic Toxicity

Prolonged skin contact may defat the skin and produce dermatitis.

Target Organ Effects

Respiratory system, Cardiovascular system, Skin, Eyes.

Aggravated Medical Conditions

Skin disorders, Respiratory disorders.

Potential Environmental Effects

See Section 12 for additional Ecological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	64742-52-5
Aluminum benzoate fatty acid complex	82980-54-9
Antimony dialkyldithiocarbamate	15890-25-2
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5
Barium dinonylnaphthalene sulfonate	25619-56-1

4. FIRST AID MEASURES

General advice

Avoid contact with skin, eyes and clothing.

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.

Skin Contact

Wipe up with absorbent material (e.g. cloth, fleece). Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

Inhalation

If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Ingestion

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth.

Notes to physician

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flash Point 450 °F / 232 °C

Method

Tag closed cup

Autoignition Temperature No information available.

Flammability Limits in Air % Not applicable.

Upper No data available

Lower No data available

Suitable Extinguishing Media

Water spray, Foam, Carbon dioxide (CO₂), Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA	Health 1	Flammability 1	Instability 0
HMS	Health 1	Flammability 1	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13)
Methods for Cleaning Up	Pick up and transfer to properly labeled containers
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing.
Storage	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.
Storage Temperature	Minimum 0 °F / -18 °C Maximum 120 °F / 49 °C
Storage Conditions	Indoor X Outdoor Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³	TWA: 5 mg/m ³	IDLH: 2,500 mg/m ³ ; STEL 10 mg/m ³ ; TWA: 5 mg/m ³
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Antimony dialkyldithiocarbamate	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	IDLH: 50 mg/m ³ ; TWA: 0.5 mg/m ³
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available
Barium dinonylnaphthalene sulfonate	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Personal Protective Equipment	
Eye/Face Protection	Safety glasses with side-shields.
Skin Protection	For prolonged or repeated contact, use protective gloves with appropriate chemical resistance.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations	Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Grease	Viscosity	Semi-Solid
Color	Red	Odor	Oily
Appearance	Transparent	pH	Not applicable
Specific Gravity	0.89	Evaporation Rate	0 (BuAc = 1)
Percent Volatile (Volume)	0.2	VOC Content (%)	0.2
VOC Content (g/L)	2	Vapor Pressure	0.02 mmHg @ 70°F
Vapor Density	5.6 (Air = 1.0)	Solubility	Negligible
Boiling Point/Range	> 450 °F / 232 °C		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	None known
Incompatible Products	Strong oxidizing agents, Reducing agents, Strong acids, Bases.
Hazardous Decomposition Products	Carbon oxides, Nitrogen oxides (NOx), Sulfur oxides, Metal oxides, Sodium oxides, Aldehydes, Amines, Phenols.
Possibility of Hazardous Reactions	None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

No information available.

Component Information**Acute Toxicity**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Antimony dialkyldithiocarbamate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	no data available	no data available	no data available	respiratory system
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Antimony dialkyldithiocarbamate	no data available	no data available	no data available	no data available	respiratory system, CVS, skin, eyes
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	no data available

Carcinogenicity

There are no known carcinogenic chemicals in this product.

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	not applicable	not applicable	not applicable	not applicable	not applicable
Aluminum benzoate fatty acid complex	not applicable	not applicable	not applicable	not applicable	not applicable
Antimony dialkyldithiocarbamate	not applicable	not applicable	not applicable	not applicable	not applicable
Styrene-Ethylene/Propylene Block Copolymer	not applicable	not applicable	not applicable	not applicable	not applicable
Barium dinonylnaphthalene sulfonate	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION**Product Information**

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	EC50 > 1000 mg/L 48 h	N/A
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	N/A
Antimony dialkyldithiocarbamate	no data available	no data available	no data available	no data available	N/A
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	N/A
Barium dinonylnaphthalene sulfonate	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Dispose of in accordance with local regulations.

Container Disposal

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
ICAO	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. REGULATORY INFORMATION**Inventories**

TSCA	Complies
DSL	Complies

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Antimony dialkyldithiocarbamate	15890-25-2	1-5	1.0
Barium dinonylnaphthalene sulfonate	25619-56-1	1-5	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	Not applicable	Not applicable
Aluminum benzoate fatty acid complex	Not applicable	Not applicable
Antimony dialkyldithiocarbamate	Not applicable	Not applicable
Styrene-Ethylene/Propylene Block Copolymer	Not applicable	Not applicable
Barium dinonylnaphthalene sulfonate	Not applicable	Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials

**16. OTHER INFORMATION**

Prepared By	Sarah Williamson
Supersedes Date	09/19/2011
Issuing Date	10/18/2013
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CERTIFIED LABS, DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.